| POPULATION ESTIMATES | CENSUS DATA | LOCAL PUBLIC HEALTI | H |
|---|--|--|---|
| | | | |
| | | | Per |
| Total 1995 Population Est 15, 250 | | Activities Reported Nu | <u>mber 10,000</u> |
| Percent Female 50.3 | Note: Data in this section are from | _ | |
| | the 1990 Census. (All other | Public Health Nursing | ' |
| Population per square mile 17 | sections contain 1995 data | Total clients | 224 147 |
| Rank in state 64 | except where specified.) | Total visits | 712 467 |
| (1=highest population density, | | Visits: Reason for | |
| 72=lowest population density.) | Ratio of 1989 Family | Gen hlth promotion | 23 15 |
| l same filtra and sign, | Income to Poverty | Infant/child hlth | 50 33 |
| | (Cumul ative) | Infectious & parasitic | 14 9 |
| Age Female Male Total | | Circulatory | 40 26 |
| 0-14 1,630 1,660 3,290 | Age <100% <185% <200% Total | Prenatal | 346 227 |
| 15-19 590 580 1,176 | Age <100% <185% <200% Total <5 26 58 63 1,058 | Postpartum | 12 8 |
| 20- 24 440 490 930 | 5-17 19 50 55 3,062 | 1 osepai eum | |
| 25-29 350 400 750 | 18-44 18 41 46 5, 228 | WIC Participants | 846 555 |
| 30-34 520 520 1,040 | 45-64 11 28 31 2,797 | MIO Tall of of pallos | |
| 35-39 540 570 1,110 | 45-64 11 28 31 2,797 65+ 14 55 59 2,603 | Clinic Visits 5 | 5, 533 3, 628 ¹ |
| 40-44 530 570 1,100 | 20,000 | Immunization 2, | 349 1, 540 |
| 45-54 830 900 1,730 | | Blood pressure 1, | 518 995 |
| 55-64 700 670 1,370 | | brood pressure | 10 000 |
| 65-74 750 630 1,380 | | Environmental Contacts | ļ |
| 75-84 570 480 1,050 | CANCER INCIDENCE | Env hazards | |
| 85+ 220 110 330 | (1995) | Public health nuisance | $\dot{6}$ $\dot{4}$ |
| Total 7, 670 7, 580 15, 250 | (1993) | Tubite hearth hursance | 0 4 |
| 10tai 7,070 7,360 13,230 | Primary site Number | School Health | |
| | Col on 7 | Vision screenings | 511 335 |
| Age Female Male Total | | Hearing screenings | 547 359 |
| 0-17 1,990 2,020 4,010 | Lung | nearing screenings | 347 338 |
| 18-44 2, 610 2, 770 5, 380 | Prostate 16 | Health Education | |
| 45-64 1,530 1,570 3,100 | All others 47 | | 13 9 |
| 43- 64 1, 330 1, 370 3, 100 65+ 1, 540 1, 220 2, 760 | Total 93 | | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| Total 7, 670 7, 580 15, 250 | 10tai 95 | School sessions | |
| 10tal 7, 670 7, 580 15, 250 | | | |
| | | School attendance | 552 362 |
| E M P L O Y M E N T | I ON C TEDM CARE | Stoffing ETE | |
| E WIF L U I WIE N I | LUNG IERMI CARE | Staffing - FTEs | 18 11.7 |
| Note: Average wage is based or place | | Total staff | $\begin{array}{ccc} 18 & 11.7 \\ 3 & 2.0 \end{array}$ |
| Note: Average wage is based on place | Home Health Agencies 2 | Admi ni strators | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| of work, not place of residence. | | Public health nurses Public health aides | $\begin{bmatrix} 1 & 0.7 \\ 0.9 \end{bmatrix}$ |
| Avenues were for take severed | Patients 329 | rubiic nearth ands | <1 0.2 |
| Average wage for jobs covered by Unemployment Compensation \$18,117 | Patients per 10,000 pop 216 | Environmental specialists | · · |
| by unemproyment compensation \$18, 117 | N. and a difference | 1 | |
| Labor France Full and the Armal A | Nursing Homes 2 | I OCAL DUDI I C WEALTHY F | PINDING |
| Labor Force Estimates Annual Average | Li censed beds 161 | LOCAL PUBLIC HEALTH F | |
| Civilian labor force 7, 192 | Occupancy rate (percent) 97.7% Residents on 12/31/95 153 Residents per 1,000 | | Per |
| Number employed 6,648 | Residents on $12/31/95$ 153 | <u>Am</u> | ount Capita |
| Number unemployed 544 | Residents per 1,000 | Total funding \$365, Local taxes \$95,5 | 188 \$23. 95 |
| Unemployment rate 7.6% | population aged 65 or older 54 | Local taxes \$95, 2 | 229 \$6. 24 |
| | | | |
| | | | |

----- N A T A L I T Y ------Teenage Births 35 59

----- MORBIDITY ------ MORTALITY -----Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and post-neonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus REPORTED CASES OF SELECTED DISEASES Perinatal and fetal deaths. Sexually Transmitted Disease Chlamydia Trachomatis 19 Genital Herpes 0 Gonorrhea 0 Nongonococcal Cervicitis 0 Nongonococcal Urethritis 0 Syphilis <5 Race of Mother Al cohol 3 . White 1 . Other Drugs 8 . Black . . Both Mentioned 1 . Other Unknown | 1,500-2,499 gm | 1 | 1,500-2,499 gm | 1,500-2, ----- I M M U N I Z A T I O N S ------

| DI SEASE / AGE GROUP | Number | Per 1, 000 Pop | Average Stay (Days) | Average Charge | Charge Per Capi ta | DI SEASE / AGE GROUP | Number | Per 1, 000 Pop | Average Stay (Days) | Average | Charge Per Capita |
|-------------------------|------------|----------------------|---------------------------|-------------------|--------------------------|-----------------------------|----------------------|------------------------|---------------------------|-----------------------|-------------------------|
| I nj ury-Rel at ed | : Al l | | | | | Al cohol - Rel ated | | | | | |
| Total | 160 | 10. 5 | 4. 5 | \$6, 684 | \$70 | Total | 48 | 3. 1 | 9. 1 | \$3, 106 | \$10 |
| <18 | 17 | • | | • | • | 18- 44 | 35 | 6. 5 | 8. 3 | \$2, 929 | \$19 |
| 18- 44 | 44 | 8. 2 | 2.9 | \$6, 132 | \$50 | 45-64 | 7 | • | • | • | • |
| 45-64 | 24 | 7. 7 | 5.6 | \$9, 591 | \$74 | | | | | | |
| 65+ | 75 | 27. 1 | 5. 3 | \$6, 554 | \$178 | Pneumonia and Infl | | | | | |
| Injury: Hipl | Fracture | | | | | Total | 73 | 4.8 | 5. 2 | \$4, 452 | \$21 |
| Total | 23 | 1.5 | 7.4 | \$9, 832 | \$15 | <18 | 11 | • | • | • | • |
| 65+ | . 21 | 7. 6 | 7.8 | \$10, 313 | \$78 | 45-64 | 4 | | : . | | • |
| Injury: Pois | | | | | | 65+ | 50 | 18. 1 | 5. 9 | \$5, 186 | \$94 |
| Total | 9 | • | • | • | • | | , | | | | |
| 18- 44 | 7 | • | • | • | • | Cerebrovascular Di | | 0.7 | ~ 4 | 00 011 | 007 |
| D. J. L. L. L. | | | | | | Total | 56 | 3. 7 | 5. 4 | \$6, 811 | \$25 |
| Psychi atri c | 0.4 | 0.0 | 0.4 | 04 014 | 007 | 45-64 65+ | 13 42 | 15. 2 | 5. 5 | 00 100 | \$93 |
| Total <18 | 94 | 6. 2 | 8. 4 | \$4, 314 | \$27 | 69+ | 42 | 15. Z | 5. 5 | \$6, 103 | \$93 |
| | 17 50 | 9. 3 | 5. 6 | | \$2 8 | Charactic Object and at its | Dl. | | • | | |
| 18- 44 45- 64 | | | ა. ს | \$2, 993 | \$28 | Chronic Obstructiv | ve Puri 42 | nonary D 2.8 | | \$4, 135 | \$11 |
| 45- 64 65+ | 8 19 | • | • | • | • | Total < 18 | | ۵. ٥ | 4. 3 | \$4, 133 | \$11 |
| 69+ | 19 | • | • | • | • | < 18 18-44 | 3 | • | • | • | • |
| Coronary Heart | Di googo | | | | | 45- 64 | 8 8 | • | • | • | • |
| Total | 131 | 8. 6 | 5. 0 | \$11, 325 | \$97 | 45-64 65+ | 28 | 10. 1 | 4.7 | \$4, 472 [.] | \$45 |
| 45- 64 | 34 | 11. 0 | | \$14, 016 | \$154 | 05+ | 20 | 10. 1 | 4. / | 34, 472 | 343 |
| 45- 64 65+ | 88 | 31.8 | | \$10, 718 | \$341 | Drug-Rel ated | | | | | |
| 03+ | 00 | 31. 0 | J. 4 | \$10, 716 | 3341 | Total | 4 | | | | |
| Malignant Neop | laeme (Cai | ncare). | A11 | | | 18-44 | 1 | • | • | • | • |
| Total | 63 | 4. 1 | 7 6 | \$10, 796 | \$45 | 10-44 | 1 | • | • | • | • |
| 18- 44 | 3 | 4, 1 | 7. 0 | 910, 730 | 943 | Total Hospitaliza | tione | | | | |
| 45- 64 | 18 | • | • | • | • | Total | 2, 004 | 131. 4 | 4. 2 | \$5, 496 | \$722 |
| 65+ | 41 | 14. 8 | 7. 0 | \$9, 901 | \$14 7 | <18 | 333 | 83. 2 | 3. 1 | \$2, 756 | \$229 |
| Neoplasms: Fo | | ast (ra | | | nulation) | 18-44 | 512 | 95. 1 | 2. 9 | \$3,610 | \$343 |
| Total | 5 | ust (It | ices for | remare po | pur acron, | 45- 64 | 299 | 96. 5 | 4. 5 | \$7, 220 | \$697 |
| Neoplasms: C | | 1 | • | • | • | 65+ | 860 | 310.6 | 5. 4 | \$7, 080 | \$2, 199 |
| Total | 4 | - | _ | _ | _ | 1 | 300 | 525.0 | ٠. ١ | Ţ., 000 | , =, 100 |
| 65+ | 3 | • | • | • | • | PREVENTAB | L Е Н | 0 S P I | T A I. | IZATI | 0 NS |
| Neoplasms: L | | • | • | • | • | Total | 287 | 18.8 | 4.6 | \$4, 433 | \$83 |
| Total | 6 | | | | | < 18 | 28 | 7. 0 | 2. 1 | \$1,604 | \$11 |
| | · · | - | - | - | - | 18-44 | 27 | 5. 0 | 3. 5 | \$3, 066 | \$15 |
| Di abetes | | | | | | 45-64 | 40 | 12. 9 | 5. 7 | \$6, 344 | \$82 |
| Total | 25 | 1. 6 | 5. 6 | \$6, 376 | \$10 | 65+ | 192 | 69. 4 | 4. 9 | \$4,640 | \$322 |
| 65+ | 15 | | • | , | | | | | | . , | |
| | | - | - | - | - | * Hospitalizations | for co | ondi ti on | s where | timely a | ıd |
| | | | | | | effective ambulate | ory car | e can r | educe t | he likělih | nood of |
| | | | | | | hospi tal i zati on. | J | | | | |